EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(Clayton-Michele Clayton-Michele-C).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 14:04
L2	43	((router switch bridge gateway device expander) with (gather$3 generat$3 updat$3) with (topology rout $3)) same3 ((attach$3 connect$3 link$3) with (direct $3 indirect$3) with serial) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/01/12 14:08
L3	203	((router switch bridge gateway device expander) with (gather$3 generat$3 updat$3) with (topology rout $3)) same3 ((attach$3 connect$3 link$3) with (direct $3 indirect$3)) same3 serial and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/01/12 14:09
L4	7	L3 and 370/254,351.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/01/12 14:16
L5	8	L3 and 709/238.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/01/12 14:16
L6	0	L3 and 710/8,15.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/01/12 14:17
L7	0	((((end adj3 device) expander) same (gather$3 discover$3 generat$3 updat $3) same (topology rout$3 configur$5)) and (downstream same (attach$3 connect$3 link$3) same (direct $3 indirect$3)) and serial). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/01/12 14:21

L8	1	(((((end adj3 device) router switch bridge gateway device expander) same (gather$3 discover$3 generat$3 updat$3) same (topology rout$3 configur$5)) and (downstream same (attach$3 connect$3 link$3) same (direct $3 indirect$3)) and serial). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2010/01/12 14:23
S1	1	10/787074.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/02 17:50
S2	1683	370/254.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:04
S3	164684	SAS or (searail ADJ attached adj SCSI)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:05
S4	1	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3 expander merg $3 downstream PHY	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:16
S5	1	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3 expander ((merg $3 or combining or incorporat $3) with (topology with (information or table))) downstream PHY	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:18
S6	1	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3 expander ((merg $3 or combining or incorporat $3) with (topology with (information or table)))	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:19
S7	2	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3 expander	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:26

S8	99	(SAS or (searail adj attached adj SCSI)) (topology with (information or table) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:39
S9	76	(SAS or (searail adj attached adj SCSI)) (topology with (information or table) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3 @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:40
S10	5	(SAS or (searail adj attached adj SCSI)) (topology with (information or table) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3 ("370"/$.ccls or "710"/$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:41
S11	5	(SAS or (searail adj attached adj SCSI)) (topology with (information or table) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) ("370"/$.ccls or "710"/$. ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:42
S12	32	(SAS or (searail adj attached adj SCSI)) (topology with (information or table) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) ("370"/$.ccls or "709"/$. ccls. or "710"/$.ccls. or "361"/ $.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:59
S13	0	("7155546").URPN.	USPAT	AND	ON	2007/07/30 11:47
S14	13	("20020083120" | "20020124108" | "20030065686" | "20030076788" | "20030184902" | "20040133570" | "5706440" | "6038400" | "6044411" | "6289405" | "6351375" | "6438535" | "6553005").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/30 11:48
S15	10	"518412"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:11

S16	0	"518412" "Hub Tolology"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:12
S17	0	"518,412" "Hub Tolology"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:12
S18	1	"518412" "Hub Topology"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:16
S19	13	"039807"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:16
S20	2	"039807" "discovering devices"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:17
S21	2	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) initiat$3 expander	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/07/30 15:27
S22	1	"2005/0185599"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/07/30 15:28
S23	0	"2005/0185599"	DERWENT	AND	ON	2007/07/30 15:28
S24	0	10/7411460.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:48
S25	2	10/741460.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:52
S26	1	"6351375".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:52
S27	1	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) expander ("370"/$.ccls or "709"/$.ccls. or "710"/$.ccls. or "361"/$.ccls.) @ad< "20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:53

S28	32	(SAS or (serial adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2) ("370"/$.ccls or "709"/$. ccls. or "710"/$.ccls. or "361"/ $.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:09
S29	32	(SAS or (serial adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) ("370"/$.ccls or "709"/$. ccls. or "710"/$.ccls. or "361"/ $.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:13
S30	1	(serial adj attached adj SCSI) (topology with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) ("370"/$.ccls or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:22
S31	1	("serial attached SCSI" or "serial attached small computer system interface") (topology with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) ("370"/$.ccls or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:24
S32	1	("serial attached SCSI" or "serial attached small computer system interface") (topology with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:29
S33	1	("serial attached SCSI" or "serial attached small computer system interface") (topology with (information or table)) ((local or remote) with interface) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:28

S34	11	("serial attached SCSI" or "serial attached small computer system interface") ((topology or rout$3 or configuration) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:50
S35	13956	((topology or rout$3 or configuration) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:51
S36	3896	((topology or rout$3 or configuration) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) ("370"/$.ccls or "709"/$. ccls. or "710"/$.ccls. or "361"/ $.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:52
S37	2475	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) ("370"/$.ccls or "709"/$. ccls. or "710"/$.ccls. or "361"/ $.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:55
S38	2054	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) (expander or switch or hub or router) ("370"/$.ccls or "709"/$.ccls. or "710"/$. ccls. or "361"/$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:57
S39	1572	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ("370"/$.ccls or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:59

S40	0	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ((merg$3 or combining or incorporat$3) with (topology with (information or table))) downstream PHY ("370"/$. ccls or "709"/$.ccls. or "710"/ $.ccls. or "361"/$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:59
S41	0	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ((merg$3 or combining or incorporat$3) with (topology with (information or table))) downstream PHY ("370"/$. ccls or "709"/$.ccls. or "710"/ $.ccls. or "361"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:00
S42	0	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ((merg$3 or combining or incorporat$3) with (topology with (information or table))) downstream PHY ("370"/$. ccls or "709"/$.ccls. or "710"/ $.ccls. or "361"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:04
S43	1	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ((merg$3 or combining or incorporat$3) with (topology with (information or table))) downstream PHY	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:02

S44	1	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ((merg$3 or combining or incorporat$3) with (topology with (information or table))) downstream PHY ("370"/$. ccls. or "709"/$.ccls. or "710"/ $.ccls. or "361"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:06
S45	6	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ((merg$3 or combining or incorporat$3) with (topology with (information or table))) ("370"/$.ccls. or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:22
S46	67	(SAS or (serial adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) ("370"/$.ccls. or "709"/$. ccls. or "710"/$.ccls. or "361"/ $.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:13
S47	3545	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ("370"/$.ccls. or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:16

S48	16	("serial attached SCSI" or "serial attached small computer system interface") ((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ("370"/$.ccls. or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:17
S49	7	("serial attached SCSI" or "serial attached small computer system interface") ((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ("370"/$.ccls. or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:18
S50	3545	((topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin $3) with (direct$2 or indirect $2)) initiat$3 (expander or switch or hub or router) ("370"/$.ccls. or "709"/$.ccls. or "710"/$.ccls. or "361"/$. ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:25
S51	363	(generat$3 with (topology or rout$3) with (information or table)) ((local or remote) with interface) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) initiat $3 (expander or switch or hub or router) ("370"/$.ccls. or "709"/$.ccls. or "710"/$. ccls. or "361"/$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:27

S52	4	(generat$3 with (topology or rout$3) with (information or table)) ((local or remote) with interface) (determin$3 with (device adj type)) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) initiat $3 (expander or switch or hub or router) ("370"/$.ccls. or "709"/$.ccls. or "710"/$. ccls. or "361"/$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:28
S53	4	(generat$3 with (topology or rout$3) with (information or table)) ((local or remote) with interface) (determin$4 with (device adj type)) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) initiat $3 (expander or switch or hub or router) ("370"/$.ccls. or "709"/$.ccls. or "710"/$. ccls. or "361"/$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:28
S54	9	(generat$3 with (topology or rout$3) with (information or table)) ((local or remote) with interface) (determin$4 with (device adj type)) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) initiat $3 (expander or switch or hub or router) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:29
S55	13	(generat$3 with (topology or rout$3) with (information or table)) ((local or remote) with interface) (determin$4 with (device adj type)) ((attach$3 or connect$3 or lin$3) with (direct$2 or indirect$2)) (initiat$3 or request$3) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:39
S56	13	("5481674" | "5684959" | "5706440" | "5729685" | "5793975" | "5796736" | "5822305" | "5845149" | "6069894" | "6108702" | "6131119" | "6205122" | "6286038").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/30 17:38
S57	1	"6377987".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/31 06:43
S58	35	("6377987").URPN.	USPAT	AND	ON	2007/07/31 10:34

S59	35	("6377987").URPN. @ad<"20040219"	USPAT	AND	ON	2007/07/31 10:37
S60	21	("5706440").URPN.	USPAT	AND	ON	2007/07/31 10:36
S61	19	("5706440").URPN. @ad<"20040219"	USPAT	AND	ON	2007/07/31 10:44
S62	2	"6038400".pn. or "6351375".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/02 17:51
S63	4	"2003076788".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:15
S64	0	"2003076788".pn. and grabauskas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:17
S65	0	grabauskas.in. and @ad="20030424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:18
S66	3	grabauskas.in. and @pd="20030424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 10:19
S67	527	((generat$3 updat$3) with (topology rout$3) with (information table)) same ((attach$3 connect$3 link$3) with (direct$2 indirect$2)) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 10:43
S68	0	((generat$3 updat$3) with (topology rout$3) with (information table)) same ((one adj (message request)) near5 (attach$3 connect$3 link$3) near5 direct$2) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 10:48
S69	0	((generat$3 updat$3) with (topology rout$3) with (information table)) and((one adj (message request)) near5 (attach$3 connect$3 link$3) near5 direct$2) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 10:49

S70	14	((generat$3 updat$3) with (topology rout$3) with (information table)) same ((message request) near5 (remote near3 (node device))) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 10:50
S71	16	((generat$3 updat$3) with (topology rout$3) with (information table)) same ((message request inquir$3 acquir$3 poll$3) near5 (remote near3 (node device))) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 10:53
S72	1	((generat$3 updat$3) with (topology rout$3)) and ((request inquir$3 acquir$3 poll$3) with (remote near3 (node device)) with ((topology rout$3) near5 (information data) near5 (direct$3 indirect$3) near5 (node device router))) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 11:03
S73	55	((generat$3 updat$3) with (topology rout$3)) and ((request inquir$3 acquir$3 poll$3) with (remote near3 (node device)) with ((topology rout$3) near5 (information data))) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 11:06
S74	7	((generat$3 updat$3) with (topology rout$3)) same ((request inquir$3 acquir$3 poll$3) with (remote near3 (node device)) with ((topology rout$3) near5 (information data))) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 11:06
S75	14	(SAS SCSI (serial adj attached scsi) and ((generat$3 updat $3) with (topology rout$3)) and ((request inquir$3 acquir $3 poll$3) with (remote near3 (node device)) with ((topology rout$3) near5 (information data))) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 11:09

S76	12	((generat$3 updat$3) with (topology rout$3)) same ((request inquir$3 acquir$3 poll$3) with (remote near3 (node device router)) with ((topology rout$3) near5 (information data updat$3 chang$3))) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; EPO; JPO	OR	ON	2009/03/22 11:12
S77	6	((generat$3 updat$3) with (topology rout$3)) same ((request inquir$3 acquir$3 poll$3) with (remote near3 (node device router)) with ((topology rout$3) near5 (information data updat$3 chang$3))) and period$3 and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 12:44
S78	2	((generat$3 updat$3) with (topology rout$3)) and ((request inquir$3 acquir$3 poll$3) with (remote near3 (node device router)) with ((topology rout$3) near5 (information data updat$3 chang$3))) same (period$3 repeat$4) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 12:49
S79	788	(request inquir$3 acquir$3 poll $3) same ((updat$3 check$3 determin$5 obtain$3) with ((topology rout$3) near5 (information data updat$3 chang$3)) same (period$3 repeat$4) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 12:53
S80	571	(request inquir$3 acquir$3 poll $3) same ((updat$3 check$3 determin$5 obtain$3) near5 (topology rout$3) near5 (information data updat$3 chang$3)) same (period$3 repeat$4) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 12:57

S81	97	(request inquir$3 acquir$3 poll $3) with ((updat$3 check$3 determin$5 obtain$3) near5 (topology rout$3) near5 (information data updat$3 chang$3)) with (period$3 repeat$4) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 12:57
S82	82	(request inquir$3 poll$3) with ((updat$3 check$3 determin $5 obtain$3) near5 (topology rout$3) near5 (information data updat$3)) with (period $3 repeat$4) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 12:58
S83	39	(request poll$3 command) same ((updat$3 check$3 determin$5 obtain$3) with ((topology rout$3) near5 (information data updat$3)) with complet$3) same (period $3 repeat$4) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 13:03
S84	18	(request poll$3 command) same ((updat$3 check$3 determin$5 obtain$3) with ((topology rout$3) near5 (information data updat$3)) with complet$3) with (period $3 repeat$4) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 13:03
S85	60	(period$3 repeat$4) with (check$3 determin$5) with ((topology rout$3) near5 (information data updat$3)) with (complet$3 finish$3) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 13:07
S86	19	(request$3 command messag $3) same (period$3 repeat$4) with (check$3 determin$5) with ((topology rout$3) near5 (information data updat$3)) with (complet$3 finish$3) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 13:08

S87	1	(request$3 command messag $3) same (period$3 repeat$4) with (check$3 determin$5) with ((topology rout$3) near5 (gather$3 updat$3)) with (complet$3 finish$3) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 14:07
S88	4	(period$3 repeat$4) with (check$3 determin$5) with ((topology rout$3) near5 (gather$3 updat$3)) with (complet$3 finish$3) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 14:08
S89	29	(periodic$3 repeat$4) same (check$3 determin$5) with ((topology rout$3) with (gather$3 updat$3)) same (complet$3 finish$3) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 14:14
S90	2079	((topology rout$3) with (gather$3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:26
S91	59	((periodic$3 repeat$4) with (topology rout$3) with (gather $3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:28
S92	26	((periodic$3) with (topology rout$3) with (gather$3 updat $3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:28
S93	1	((check$3 determin$5) with (gather$3 updat$3) with (complet$3 finish$3)) and ((periodic$3 repeat$4) with (topology rout$3) with (gather $3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:30
S94	57	((check$3 determin$5) with (gather$3 updat$3) with (complet$3 finish$3)) and ((topology rout$3) with (gather$3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:34

S95	3	((periodic$3 repeat$4) with (check$3 determin$5) with (gather$3 updat$3) with (complet$3 finish$3)) and ((topology rout$3) with (gather$3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:35
S96	1	((periodic$3) with (check$3 determin$5) with (complet$3 finish$3)) and ((topology rout $3) with (gather$3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:37
S97	7	((periodic$3) with (check$3 determin$5) with (topology rout$3) with (gather$3 updat $3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:41
S98	3	(periodic$4 with (check$3 determin$5) with (complet$3 finish$3)) and ((topology rout $3) with (gather$3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:43
S99	16	(periodic$4 same (check$3 determin$5) same (complet$3 finish$3)) and ((topology rout $3) with (gather$3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:44
S100	7	(periodic$4 same (check$3 determin$5) same (gather$3 updat$3) same (complet$3 finish$3)) and ((topology rout $3) with (gather$3 updat$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:47
S101	0	(period$4 with (check$3 determin$5 verif$7) with (topology rout$3) near5 (gather$3 updat$3 collect$3) with (complet$3 finish$3) with downstream) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:51
S102	933	((router switch bridge gateway) with (topology rout $3) with (gather$3 updat$3 exchang$3)).ti,ab. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:58

S103	2	(periodic$4 with (check$3 determin$5) with (complet$3 finish$3)) and ((router switch bridge gateway) with (topology rout$3) with (gather $3 updat$3 exchang$3)).ti, ab. and (@ad< "20040219" @rlad< "20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 16:59
S104	3	(periodic$4 with (check$3 determin$5) with (complet$3 finish$3)) and ((router switch bridge gateway) same (topology rout$3) same (gather$3 updat$3 exchang $3)).ti,ab. and (@ad< "20040219" @rlad< "20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:00
S105	10	(periodic$4 same (check$3 determin$5) same (complet$3 finish$3)) and ((router switch bridge gateway) same (topology rout$3) same (gather$3 updat$3 exchang $3)).ti,ab. and (@ad< "20040219" @rlad< "20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:06
S106	0	(one adj3 (request command message)) same (downstream with (router switch bridge gateway device) with (topology rout $3) with (gather$3 updat$3)) and (@ad< "20040219" @rlad< "20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:21
S107	0	(one adj3 (request command message)) same ((router switch bridge gateway device) with (topology rout $3) with (gather$3 updat$3) with direct$3 with indirect$3) and (@ad< "20040219" @rlad< "20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:29
S108	0	(request command poll$3) same ((router switch bridge gateway device) with (topology rout$3) with (gather $3 updat$3) with direct$3 with indirect$3) and (@ad< "20040219" @rlad< "20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:30

S109	6	(request$3 command poll$3) same ((router switch bridge gateway device) same ((topology rout$3) with (gather$3 updat$3)) same (direct$3 with indirect$3)) and ((@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:31
S110	187	((router switch bridge gateway device) with (topology rout$3) with ((gather $3 updat$3)) same ((attach $3 connect$3 link$3) near5 (direct$3 indirect$3)) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:34
S111	114	((router switch bridge gateway device) with (topology rout$3) with (gather $3 updat$3)) with (attach$3 connect$3 link$3) with (direct $3 indirect$3)) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:35
S112	2	((router switch bridge gateway device) with (topology rout$3) with (gather $3 updat$3)) with (attach$3 connect$3 link$3)) with (direct $3 with indirect$3)) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:35
S113	3	((router switch bridge gateway device) with (topology configur$5 rout$3) with (gather$3 updat$3) with (attach$3 connect$3 link$3) with (direct$3 with indirect $3)) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/03/22 17:36
S114	2	(Clayton-Michele Clayton-Michele-C).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/25 13:52
S115	0	((generat$3 updat$3 gather $3 request$3) with (topology rout$3)) same ((remote attach $3) near5 (node device router) with serial) same period$7 same ((one single) near5 (request$3 command$3 updat$3)) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/25 13:58

S116	679	((generat$3 updat$3 gather $3 request$3) with (topology rout$3)) and 370/254.ccls. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/25 13:59
S117	0	((generat$3 updat$3 gather $3 request$3) with (topology rout$3)) same ((remote attach $3) near5 (node device router) with serial same period$7 and 370/254.ccls. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/25 14:00
S118	0	((generat$3 updat$3 gather $3 request$3) with (topology rout$3)) same ((remote attach $3) near5 (node device router) with serial) and 370/254.ccls. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/25 14:00
S119	49	((generat$3 updat$3 gather $3 request$3) with (topology rout$3)) same ((remote attach $3) near5 (node device router)) and 370/254.ccls. and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/25 14:00
S120	2	((generat$3 updat$3 gather $3 request$3) with (topology rout$3)) same ((remote attach $3) near5 (node device router)) same serial same period$7 and ((one single) near5 (request$3 command$3 updat$3)) and (@ad<"20040219" @rlad<"20040219")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/25 14:06

1/12/2010 2:24:46 PM
C:\ Documents and Settings\ yzhou\ My Documents\ EAST\ Workspaces\ yz10787074.wsp